

NEW
COLLECTION



CATALOG

**SLIDING
SYSTEM**
MAGIC

EASY, EFFICIENT, FLEXIBLE



SYSTEM MAGIC



DURABLE
*The roller units can be removed
if necessary*

**HIDDEN
TECHNOLGY**

**NO FLOOR
GUIDANCE RAILS**

TELESCOPIC SLIDING SYSTEM **MAGIC**


ACCESSORY KITS FOR THE MAGIC SYSTEM



Properties	
Max. door height	3000 mm
Max. door width	1200 mm
Height adjustment	±4 mm
Max. door weight	80 kg
FG Glass Thickness	8-10 mm
FD Glass Thickness	5 mm
FW Panel Thickness	5 mm
W Panel Thickness	40 mm

MAGIC accessory set for outer doors with damping (universal for all frames)

MGC-AC-1/2



Product code	Used in			
MGC-AC-1/2	FG	FD	FW	W
Included in sets:				
All MAGIC sets				

MAGIC accessory kit for sets opening on the wall


MGC-AC-2



Product code	Used in			
MGC-AC-2	FG			
Included in sets:				
MGC-SET-2-WH				

MAGIC accessory set for middle doors (3 panels)


MGC-AC-3



Product code	Used in			
MGC-AC-3	FG			
Included in sets:				
MGC-SET-2-WH/-2-WH-DOUBLE, MGC-SET-3/-3-DOUBLE				

MAGIC accessory set for middle doors (3 panels)


MGC-AC-3-W/FW/FD



Product code	Used in			
MGC-AC-3-W/FW/FD		FD	FW	W
Included in sets:				
MGC-SET-2-WH, MGC-SET-3, MGC-SET-3-DOUBLE				

MAGIC accessory set for middle doors (≥4 panels)


MGC-AC-4



Product code	Used in			
MGC-AC-4	FG			
Included in sets:				
MGC-SET-4/-5/-6/-7, MGC-SET-4/-5-DOUBLE				

MAGIC accessory set for middle doors (≥4 panels)

MGC-AC-4-W/FW/FD



Product code	Used in			
MGC-AC-4-W/FW/FD		FD	FW	W
Included in sets:				
MGC-SET-4/-5/-6/-7, MGC-SET-4/-5-DOUBLE				



TECHNICAL DATA

Sliding tracks for MAGIC SYSTEM

material aluminium

Wall-mounted running track with side covers


MGC-WALL



Used in	FG	FD	FW	W
Product code	Length	Finish		
MGC-WALL-2500-B	2500 mm	black anode		
MGC-WALL-4000-B	4000 mm	champagne		
Included in sets:				
MGC-SET-1-W, MGC-SET-1-W-DOUBLE				

Running track with side cover (universal for all frames)

MGC-TOP-001



Used in	FG	FD	FW	W
Product code	Length	Finish		
MGC-TOP-001-3000-B	3000 mm	black anode		
MGC-TOP-001-3000-CH	3000 mm	champagne		
MGC-TOP-001-4000-B	4000 mm	black anode		
MGC-TOP-001-4000-CH	4000 mm	champagne		
MGC-TOP-001-6000-B	6000 mm	black anode		
MGC-TOP-001-6000-CH	6000 mm	champagne		
Included in sets:				
All MAGIC sets besides MGC-SET-1-W i MGC-SET-1-W-DOUBLE				

Lower end cover for running track

MGC-TOP-003



Used in	FG	FD	FW	W
Product code	Length	Finish		
MGC-TOP-003-3000-B	3000 mm	black anode		
MGC-TOP-003-3000-CH	3000 mm	champagne		
MGC-TOP-003-4000-B	4000 mm	black anode		
MGC-TOP-003-4000-CH	4000 mm	champagne		
MGC-TOP-003-6000-B	6000 mm	black anode		
MGC-TOP-003-6000-CH	6000 mm	champagne		
Included in sets:				
All MAGIC sets				

End cap set for MGC-WALL


MGC-WALL-Z



Used in	FG	FD	FW	W
Product code	Finish			
MGC-WALL-Z-B	black anode			
Included in sets:				
MGC-SET-1-W, MGC-SET-1-W-DOUBLE				

Running track with middle cover


MGC-TOP-002



Used in	FG			
Product code	Length	Finish		
MGC-TOP-002-3000-B	3000 mm	black anode		
MGC-TOP-002-3000-CH	3000 mm	champagne		
MGC-TOP-002-4000-B	4000 mm	black anode		
MGC-TOP-002-4000-CH	4000 mm	champagne		
MGC-TOP-002-6000-B	6000 mm	black anode		
MGC-TOP-002-6000-CH	6000 mm	champagne		
Included in sets:				
All MAGIC sets besides MGC-SET-1-W/-C i MGC-SET-1-W/-C-DOUBLE				

Running track with middle cover

MGC-TOP-002-W/FW/FD



Used in		FD	FW	W
Product code	Length	Finish		
MGC-TOP-002-3000-B	3000 mm	black anode		
MGC-TOP-002-3000-CH	3000 mm	champagne		
MGC-TOP-002-4000-B	4000 mm	black anode		
MGC-TOP-002-4000-CH	4000 mm	champagne		
MGC-TOP-002-6000-B	6000 mm	black anode		
MGC-TOP-002-6000-CH	6000 mm	champagne		
Included in sets:				
All MAGIC sets besides MGC-SET-1-W/-C i MGC-SET-1-W/-C-DOUBLE				

MAGIC FRAME PROFILES

TECHNICAL DATA

CGLASS MAGIC FG
material aluminium
FG glass thickness 8-10 mm



MAGIC frame profiles for single/double doors


MGC-FR-1/2



Used in	FG		
Product code	Length	Finish	
MGC-FR-1/2-3000-B	3000 mm	black anode	
MGC-FR-1/2-3000-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-1-C, MGC-SET-1-W, MGC-SET-2			
MGC-SET-1-DOUBLE-C, MGC-SET-1-DOUBLE-W			

MAGIC frame profiles for outer doors


MGC-FR-001



Used in	FG		
Product code	Length	Finish	
MGC-FR-001-3000-B	3000 mm	black anode	
MGC-FR-001-3000-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-2-WH, MGC-SET-3/4/5/6/7			
MGC-SET-2-DOUBLE-WH, MGC-SET-2/3/4/5-DOUBLE			

MAGIC frame profiles for middle doors

MGC-FR-002




Used in	FG		
Product code	Length	Finish	
MGC-FR-002-3000-B	3000 mm	black anode	
MGC-FR-002-3000-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-3/4/5/6/7			
MGC-SET-3/4/5-DOUBLE			

CGLASS MAGIC FD
material aluminium
FD glass thickness 5 mm



MAGIC frame profiles for single/double doors


MGC-FR-1/2



Used in	FD		
Product code	Length	Finish	
MGC-FR-1/2-3000-FD-B	3000 mm	black anode	
MGC-FR-1/2-3000-FD-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-1-C, MGC-SET-1-W, MGC-SET-2			
MGC-SET-1-DOUBLE-C, MGC-SET-1-DOUBLE-W			

MAGIC frame profiles for outer doors


MGC-FR-001



Used in	FD		
Product code	Length	Finish	
MGC-FR-001-3000-FD-B	3000 mm	black anode	
MGC-FR-001-3000-FD-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-2-WH, MGC-SET-3/4/5/6/7			
MGC-SET-2-DOUBLE-WH, MGC-SET-2/3/4/5-DOUBLE			

MAGIC frame profiles for middle doors

MGC-FR-002



Used in	FD		
Product code	Length	Finish	
MGC-FR-002-3000-FD-B	3000 mm	black anode	
MGC-FR-002-3000-FD-CH	3000 mm	champagne	
Included in sets:			
MGC-SET-3/4/5/6/7			
MGC-SET-3/4/5-DOUBLE			




TECHNICAL DATA

CGLASS MAGIC FW
material aluminium
FW panel thickness 5 mm



MAGIC frame profiles for single/double doors


MGC-FR-1/2



Used in			FW	
Product code	Length		Finish	
MGC-FR-1/2-3000-FW-B	3000 mm	black anode		
MGC-FR-1/2-3000-FW-CH	3000 mm	champagne		
Included in sets:				
MGC-SET-1-C, MGC-SET-1-W, MGC-SET-2				
MGC-SET-1-DOUBLE-C, MGC-SET-1-DOUBLE-W				

MAGIC frame profiles for outer doors


MGC-FR-001



Used in			FW	
Product code	Length		Finish	
MGC-FR-001-3000-FW-B	3000 mm	black anode		
MGC-FR-001-3000-FW-CH	3000 mm	champagne		
Included in sets:				
MGC-SET-2-WH, MGC-SET-3/4/5/6/7				
MGC-SET-2-DOUBLE-WH, MGC-SET-2/3/4/5-DOUBLE				

MAGIC frame profiles for middle doors

MGC-FR-002



Used in			FW	
Product code	Length		Finish	
MGC-FR-002-3000-FW-B	3000 mm	black anode		
MGC-FR-002-3000-FW-CH	3000 mm	champagne		
Included in sets:				
MGC-SET-3/4/5/6/7				
MGC-SET-3/4/5-DOUBLE				


MAGIC FRAME PROFILES



CGLASS MAGIC W
material aluminium
W panel thickness 5 mm

MAGIC frame profiles for single/double doors


MGC-FR-1/2



Used in			W	
Product code	Length		Finish	
MGC-FR-1/2-3000-W-B	3000 mm	black anode		
Included in sets:				
All synchronic sets with wooden panels				

Set of profiles for mounting wooden doors

MGC-W-AC



Used in			W	
Product code	Length		Finish	
MGC-W-AC	95 mm	black anode		
Included in sets:				
MGC-SET-1 / SET-1-DOUBLE / SET-2-DOUBLE				
The set includes 4 profiles.				

TELESCOPIC SLIDING SYSTEM **MAGIC**

MAGIC SYSTEM ACCESSORIES


TECHNICAL DATA

MAGIC frame profiles

material aluminium

Profile for fixing a door panel

PF-6




Used in	FG		
Product code	Length	Finish	
PF-6-1200-B	1200 mm	black anode	

Included in sets:

MGC-SET-FIX - fixed panel version

Plastic clip for tracks

MGC-PL-CLIP-FG/W/FW/FD



Product code		Finish	Used in			
MGC-PL-CLIP-FG	black		FG			
MGC-PL-CLIP-W/FW/FD	black			FD	FW	W

Included in sets:

All MAGIC sets except MGC-SET-1

MAGIC System installation tools

MGC-TOOL-SET



Used in	FG	FD	FW	W
Product code	Tool			
1 MGC-TOOL-SET-1-1	Belt-measuring handle			
2 MGC-TOOL-SET-1-2	Frame-tightening bit			
3 MGC-TOOL-SET-1-3	Drill bit for drilling into profiles			
4 MGC-TOOL-SET-3	Drilling template for profiles			

MAGIC Frame Assembly Screw

MGC-SCREW




<i>Used in</i>	FG	FD	FW	W
<i>Product code</i>				
MGC-SCREW				

Included in sets:

All MAGIC sets

Plastic clip for track covers

MGC-PL-CLIP



Used in	FG	FD	FW	W
Product code	Finish			
MGC-PL-CLIP	black			

Included in sets:

All MAGIC sets




TECHNICAL DATA

MAGIC system seals and covers

material aluminium

Vertical corner cover 90°

MGC-FR-90




Used in		FG		
Product code	Length			Finish
MGC-FR-90-3000-B	3000 mm	black anode		
MGC-FR-90-6000-B	6000 mm	black anode		

Used in

All MAGIC FG sets connected to form a corner.

Vertical corner cover seal 90°

MGC-S90




Used in		FG		
Product code	Length			Finish
MGC-S90	1000 mm	black anode		

Used in

All MAGIC FG sets connected to form a corner.

Vertical cover type 1 SYNCHRO

MGC-FR-180-1




Used in		FG		
Product code	Length			Finish
MGC-FR-180-1-3000-B	3000 mm	black anode		
MGC-FR-180-1-6000-B	6000 mm	black anode		

Used in

All MAGIC FG DOUBLE sets

Vertical cover type 2 SYNCHRO

MGC-FR-180-2




Used in		FG		
Product code	Length			Finish
MGC-FR-180-2-3000-B	3000 mm	black anode		
MGC-FR-180-2-6000-B	6000 mm	black anode		

Used in

All MAGIC FG DOUBLE sets

Vertical cover SYNCHRO

MGC-FR-180-FW/FD




Used in		FW	FD	
Product code	Length			Finish
MGC-FR-180-FW-FD-3000-B	3000 mm	black anode		
MGC-FR-180-FW-FD-6000-B	6000 mm	black anode		

Used in

All MAGIC FW/FD DOUBLE sets

Seal for SYNCHRO cover

MGC-S180



Used in		FG	FW	FD	
Product code	Length				Finish
MGC-S180	1000 mm	black anode			

Used in

All MAGIC FG/FW/FD DOUBLE sets


TECHNICAL DATA

MAGIC accessories

material aluminium

Aluminium H grid profile 36x12 mm


MGC-3616



Used in	FG		
Product code	Length	Finish	
MGC-3616-3000-B	3000 mm	black anode	
MGC-3616-3000-CH	3000 mm	champagne	
MGC-3616-6000-B	6000 mm	black anode	
MGC-3616-6000-CH	6000 mm	champagne	


Included in sets:

All MAGIC FG Sets



Adhesive aluminium grid profile 16x14 mm


MGC-1614



Used in	FG		
Product code	Length	Finish	
MGC-1614-3000-B	3000 mm	black anode	
MGC-1614-3000-CH	3000 mm	champagne	
MGC-1614-6000-B	6000 mm	black anode	
MGC-1614-6000-CH	6000 mm	champagne	


Included in sets:

All MAGIC FG Sets



FG Frame glass seal


MGC-S8/876/10



Used in	FG		
Product code	Length	Finish	
MGC-S8	3500 mm	black	
MGC-S876	3500 mm	black	
MGC-S10	3500 mm	black	

Included in sets:

All MAGIC FG Sets






TECHNICAL DATA

MAGIC door handles

material aluminium
FG glass thickness 8-10 mm
FD glass thickness 5 mm

Sliding door handle fi110 mm

NTDL-110



Used in	FG		
Product code	Dimension		Finish
NTDL-110-B	fi110 mm	black anode	
NTDL-110-CH	fi110 mm	champagne	


Additional information

Used in - All MAGIC FG sets

The set includes 2 handles.

Sliding door handle for MAGIC DOUBLE GLASS

MGC-FD-HANDLE



Used in	FD	FW	
Product code	Dimension		Finish
MGC-FD-HANDLE-B	150x26 mm	black anode	
MGC-FD-HANDLE-CH	150x26 mm	champagne	


Additional information

Used in - All MAGIC FD/FW sets

The set includes 2 handles.

Sliding door handle 200x33 mm

NTDL-200



Used in	FG		
Product code	Dimension		Finish
NTDL-200-B	200x33 mm	black anode	
NTDL-200-CH	200x33 mm	champagne	


Additional information

Used in - All MAGIC FG sets

The set includes 2 handles.

Sliding door handle 206x33 mm

NTDL-206



Used in	FD		
Product code	Dimension		Finish
NTDL-206-B	206x33 mm	black anode	
NTDL-206-CH	206x33 mm	champagne	

Additional information

Used in - All MAGIC FG sets

The set includes 2 handles.


TECHNICAL DATA

MAGIC system accessories

material aluminium
FG glass thickness 8-10 mm
FD glass thickness 5 mm

Sliding door handle fi65 mm

NTDL-65-NH




Used in	FG		
Product code	Dimension	Finish	
NTDL-65-NH-NA	fi65 mm	silver anode	
NTDL-65-NH-SS	fi65 mm	satin	
NTDL-65-NH-B	fi65 mm	black anode	

Additional information

Used in - All MAGIC FG sets

Sliding door handle 150x40 mm

NTDL-90



Used in	FG		
Product code	Dimension	Finish	
NTDL-90-NA	150x40 mm	silver anode	
NTDL-90-SS	150x40 mm	satin	
NTDL-90-B	150x40 mm	black anode	

Additional information

Used in - All MAGIC FG sets

MAGIC Magnetic Lock for Sliding Doors + Strike patch

MGC-LOCK-B




Used in	FG		
Product code	Dimension	Finish	
MGC-LOCK-B	200x50 mm	black anode	


Additional information

Used in - All MAGIC FG sets


Wall preparation




Fixing lock position in the wall




Cover milling



Vertical profile milling



Lock position




TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-1-W - Set - 1 sliding door - wall mounting




Product code	Picture	SET-1-W-2500
Max. recess width		1168 mm
MGC-AC-1/2		1 set
MGC-FR-1/2-3000		1 set
MGC-WALL-2500	2,5 m	1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm Material: aluminium	

Set	Finish
MGC-SET-1-W-FG-B	black anode



H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length




TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-1-C - Set - 1 sliding door - ceiling mounting




Product code	Picture	SET-1-C
Max. recess width		1168 mm
MGC-AC-1/2		1 set
MGC-FR-1/2-3000		1 set
MGC-TOP-001-3000		3 m 1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm Material: aluminium	

Set	Finish
MGC-SET-1-C-FG-CH	champagne anode
MGC-SET-1-C-FG-B	black anode



H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**


MGC-SET-2 - Set - 2 sliding door



Product code	Picture	SET-2
Max. recess width		2383 mm
MGC-AC-1/2		2 set
MGC-FR-1/2-3000		2 set
MGC-TOP-001-3000		3 m 1 set
MGC-TOP-002-3000		3 m 1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm Material: aluminium	


OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel

Set	Finish
MGC-SET-2-FG-CH	champagne anode
MGC-SET-2-FG-B	black anode



H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-2-WH - Set - 2 sliding doors on the wall




Product code	Picture	SET-2-WH-3000	SET-2-WH-4000
Max. recess width		1988 mm	2366 mm
MGC-AC-1/2		1 set	1 set
MGC-AC-3		1 set	1 set
MGC-AC-2		1 set	1 set
MGC-FR-001-3000		2 set	2 set
MGC-TOP-001-3000		3 m 1 set	-
MGC-TOP-002-3000		3 m 1 set	-
MGC-TOP-001-4000		4 m -	1 set
MGC-TOP-002-4000		4 m -	1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium	

Set	Finish
MGC-SET-2-WH-3000-FG-CH	champagne anode
MGC-SET-2-WH-3000-FG-B	black anode


Set	Finish
MGC-SET-2-WH-4000-FG-CH	champagne anode
MGC-SET-2-WH-4000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel




H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
T=W+DW - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-3 - Set - 3 sliding doors




Product code	Picture	SET-3-3000	SET-3-4000
Max. recess width		3000 mm	3566 mm
MGC-AC-1/2		2 set	2 set
MGC-AC-3		1 set	1 set
MGC-FR-001-3000		2 set	2 set
MGC-FR-002-3000		1 set	1 set
MGC-TOP-001-3000		3 m 1 set	-
MGC-TOP-002-3000		3 m 2 set	-
MGC-TOP-001-4000		4 m -	1 set
MGC-TOP-002-4000		4 m -	2 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm Material: aluminium		

Set	Finish
MGC-SET-3-3000-FG-CH	champagne anode
MGC-SET-3-3000-FG-B	black anode


Set	Finish
MGC-SET-3-4000-FG-CH	champagne anode
MGC-SET-3-4000-FG-B	black anode

Set	Finish
MGC-SET-3-6000-FG-CH	champagne anode
MGC-SET-3-6000-FG-B	black anode





X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



MGC-SET-4 - Set - 4 sliding doors




Product code	Picture	SET-4-3000	SET-4-4000	SET-4-6000
Max. recess width		3000 mm	4000 mm	4749 mm
MGC-AC-1/2		2 set	2 set	2 set
MGC-AC-4		2 set	2 set	2 set
MGC-FR-001-3000		2 set	2 set	2 set
MGC-FR-002-3000		2 set	2 set	2 set
MGC-TOP-001-3000		3 m	1 set	-
MGC-TOP-002-3000		3 m	3 set	-
MGC-TOP-001-4000		4 m	-	1 set
MGC-TOP-002-4000		4 m	-	3 set
MGC-TOP-001-6000		6 m	-	-
MGC-TOP-002-6000		6 m	-	3 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm		Material: aluminium	

Set	Finish
MGC-SET-4-3000-FG-CH	champagne anode
MGC-SET-4-3000-FG-B	black anode

Set	Finish
MGC-SET-4-4000-FG-CH	champagne anode
MGC-SET-4-4000-FG-B	black anode


Set	Finish
MGC-SET-4-6000-FG-CH	champagne anode
MGC-SET-4-6000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel





X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



MGC-SET-5 - Set - 5 sliding doors




Product code	Picture	SET-5-3000	SET-5-4000	SET-5-6000
Max. recess width		3000 mm	4000 mm	5932 mm
MGC-AC-1/2		2 set	2 set	2 set
MGC-AC-4		3 set	3 set	3 set
MGC-FR-001-3000		2 set	2 set	2 set
MGC-FR-002-3000		3 set	3 set	3 set
MGC-TOP-001-3000		3 m	1 set	-
MGC-TOP-002-3000		3 m	4 set	-
MGC-TOP-001-4000		4 m	-	1 set
MGC-TOP-002-4000		4 m	-	4 set
MGC-TOP-001-6000		6 m	-	-
MGC-TOP-002-6000		6 m	-	4 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium		

Set	Finish
MGC-SET-5-3000-FG-CH	champagne anode
MGC-SET-5-3000-FG-B	black anode

Set	Finish
MGC-SET-5-4000-FG-CH	champagne anode
MGC-SET-5-4000-FG-B	black anode


Set	Finish
MGC-SET-5-6000-FG-CH	champagne anode
MGC-SET-5-6000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel





X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



MGC-SET-6 - Set - 6 sliding doors





Product code	Picture	SET-6-4000	SET-6-6000	SET-6-7000	SET-6-8000	Set	Finish
Max. recess width		4000 mm	6000 mm	7000 mm	7115 mm	MGC-SET-6-4000-FG-CH	champagne anode
MGC-AC-1/2		2 set	2 set	2 set	2 set	MGC-SET-6-4000-FG-B	black anode
MGC-AC-4		4 set	4 set	4 set	4 set		
MGC-FR-001-3000		2 set	2 set	2 set	2 set	MGC-SET-6-6000-FG-CH	champagne anode
MGC-FR-002-3000		4 set	4 set	4 set	4 set	MGC-SET-6-6000-FG-B	black anode
MGC-TOP-001-3000		3 m	-	1 set	-		
MGC-TOP-002-3000		3 m	-	5 set	-		
MGC-TOP-001-4000		4 m	1 set	1 set	2 set	MGC-SET-6-7000-FG-CH	champagne anode
MGC-TOP-002-4000		4 m	5 set	5 set	10 set	MGC-SET-6-7000-FG-B	black anode
MGC-TOP-001-6000		6 m	1 set	-	-		
MGC-TOP-002-6000		6 m	5 set	-	-		
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium				MGC-SET-6-8000-FG-CH	champagne anode
						MGC-SET-6-8000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel

X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-1-DOUBLE-W - Set - 2 sliding doors - wall mounting



Product code	Picture	SET-1- DOUBLE-W-2500	SET-1- DOUBLE-W-4000
Max. recess width		1234 mm	1984 mm
MGC-AC-1/2		1 set	1 set
MGC-FR-1/2-3000		1 set	1 set
MGC-WALL-2500	2,5 m	1 set	-
MGC-WALL-4000	4 m	-	1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium	



Set	Finish
MGC-SET-1-DOUBLE-W-2500-FG-B	black anode

Set	Finish
MGC-SET-1-DOUBLE-W-4000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel

X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-1-DOUBLE-C - Set - 2 sliding door - ceiling mounting




Product code	Picture	SET-1- DOUBLE-C-3000	SET-1- DOUBLE-C-4000	SET-1- DOUBLE-C-6000
Max. recess width		1484 mm	1984 mm	2368 mm
MGC-AC-1/2		1 set	1 set	1 set
MGC-FR-1/2-3000		1 set	1 set	1 set
MGC-TOP-001-3000		3 m	1 set	-
MGC-TOP-001-4000		4 m	-	1 set
MGC-TOP-001-6000		6 m	-	-
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium		

Set	Finish
MGC-SET-1-DOUBLE-C-3000-FG-CH	champagne anode
MGC-SET-1-DOUBLE-C-3000-FG-B	black anode

Set	Finish
MGC-SET-1-DOUBLE-C-4000-FG-CH	champagne anode
MGC-SET-1-DOUBLE-C-4000-FG-B	black anode


Set	Finish
MGC-SET-1-DOUBLE-C-6000-FG-CH	champagne anode
MGC-SET-1-DOUBLE-C-6000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel




X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-2-DOUBLE - Set - 4 sliding door




Product code	Picture	SET-2-DOUBLE-3000	SET-2-DOUBLE-4000	SET-2-DOUBLE-6000
Max. recess width		3000 mm	4000 mm	4766 mm
MGC-AC-1/2		4 set	4 set	4 set
MGC-FR-001-3000		4 set	4 set	4 set
MGC-TOP-001-3000		3 m	1 set	-
MGC-TOP-002-3000		3 m	1 set	-
MGC-TOP-001-4000		4 m	-	1 set
MGC-TOP-002-4000		4 m	-	1 set
MGC-TOP-001-6000		6 m	-	-
MGC-TOP-002-6000		6 m	-	-
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium		

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel

Set	Finish
MGC-SET-2-DOUBLE-3000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-3000-FG-B	black anode


Set	Finish
MGC-SET-2-DOUBLE-4000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-4000-FG-B	black anode

Set	Finish
MGC-SET-2-DOUBLE-6000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-6000-FG-B	black anode






X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-2-DOUBLE-WH - Set - 2 sliding doors on the wall




Product code	Picture	SET-2-DOUBLE-WH-4000	SET-2-DOUBLE-WH-6000	SET-2-DOUBLE-WH-8000
Max. recess width		2644 mm	3976 mm	4732 mm
MGC-AC-1/2		2 set	2 set	2 set
MGC-AC-3		2 set	2 set	2 set
MGC-AC-2		2 set	2 set	2 set
MGC-FR-001-3000		4 set	4 set	4 set
MGC-TOP-001-4000		4 m	1 set	-
MGC-TOP-002-4000		4 m	1 set	-
MGC-TOP-001-6000		6 m	-	1 set
MGC-TOP-002-6000		6 m	-	1 set
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium		

Set	Finish
MGC-SET-2-DOUBLE-WH-4000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-WH-4000-FG-B	black anode

Set	Finish
MGC-SET-2-DOUBLE-WH-6000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-WH-6000-FG-B	black anode


Set	Finish
MGC-SET-2-DOUBLE-WH-8000-FG-CH	champagne anode
MGC-SET-2-DOUBLE-WH-8000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel



X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length




TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-3-DOUBLE - Set - 6 sliding doors




Product code	Picture	SET-3-DOUBLE-4000	SET-3-DOUBLE-6000	SET-3-DOUBLE-8000	Set	Finish
Max. recess width		4000 mm	6000 mm	7132 mm	MGC-SET-3-DOUBLE-4000-FG-CH	champagne anode
MGC-AC-1/2		4 set	4 set	4 set	MGC-SET-3-DOUBLE-4000-FG-B	black anode
MGC-AC-3		2 set	2 set	2 set		
MGC-FR-001-3000		4 set	4 set	4 set		
MGC-FR-002-3000		2 set	2 set	2 set		
MGC-TOP-001-4000		4 m	1 set	-	MGC-SET-3-DOUBLE-6000-FG-CH	champagne anode
MGC-TOP-002-4000		4 m	2 set	-	MGC-SET-3-DOUBLE-6000-FG-B	black anode
MGC-TOP-001-6000		6 m	-	1 set		
MGC-TOP-002-6000		6 m	-	2 set		
Max. panel width: 1200 mm	Glass thickness: 8 / 8,76 / 10 mm	Material: aluminium			MGC-SET-2-DOUBLE-8000-FG-CH	champagne anode
					MGC-SET-2-DOUBLE-8000-FG-B	black anode

OPTIONAL to fix panel in place, use
PF-6-1200-B - 1 pc. / 1 panel





X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-4-DOUBLE - Set - 8 sliding doors



Product code	Picture	SET-4-DOUBLE-6000	SET-4-DOUBLE-8000	SET-4-DOUBLE-9600
Max. recess width		6000 mm	8000 mm	9498 mm
MGC-AC-1/2		4 set	4 set	4 set
MGC-AC-4		4 set	4 set	4 set
MGC-FR-001-3000		4 set	4 set	4 set
MGC-FR-002-3000		4 set	4 set	4 set
MGC-TOP-001-4000		4 m	-	2 set
MGC-TOP-002-4000		4 m	-	6 set
MGC-TOP-001-6000		6 m	1 set	-
MGC-TOP-002-6000		6 m	3 set	-


Max. panel width: 1200 mm Glass thickness: 8 / 8,76 / 10 mm Material: aluminium

OPTIONAL to fix panel in place, use PF-6-1200-B - 1 pc. / 1 panel

Set	Finish
MGC-SET-4-DOUBLE-6000-FG-CH	champagne anode
MGC-SET-4-DOUBLE-6000-FG-B	black anode


Set	Finish
MGC-SET-4-DOUBLE-8000-FG-CH	champagne anode
MGC-SET-4-DOUBLE-8000-FG-B	black anode

Set	Finish
MGC-SET-4-DOUBLE-9600-FG-CH	champagne anode
MGC-SET-4-DOUBLE-9600-FG-B	black anode




X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length



TELESCOPIC SLIDING SYSTEM **MAGIC**

MGC-SET-5-DOUBLE - Set - 10 sliding doors



Product code	Picture	SET-5-DOUBLE-6000	SET-5-DOUBLE-8000	SET-5-DOUBLE-12000
Max. recess width		6000 mm	8000 mm	11 864 mm
MGC-AC-1/2		4 set	4 set	4 set
MGC-AC-4		6 set	6 set	6 set
MGC-FR-001-3000		4 set	4 set	4 set
MGC-FR-002-3000		6 set	6 set	6 set
MGC-TOP-001-4000		4 m	2 set	-
MGC-TOP-002-4000		4 m	8 set	-
MGC-TOP-001-6000		6 m	1 set	2 set
MGC-TOP-002-6000		6 m	4 set	8 set


Max. panel width: 1200 mm Glass thickness: 8 / 8,76 / 10 mm Material: aluminium

OPTIONAL to fix panel in place, use PF-6-1200-B - 1 pc. / 1 panel

Set	Finish
MGC-SET-5-DOUBLE-6000-FG-CH	champagne anode
MGC-SET-5-DOUBLE-6000-FG-B	black anode

Set	Finish
MGC-SET-5-DOUBLE-8000-FG-CH	champagne anode
MGC-SET-5-DOUBLE-8000-FG-B	black anode

Set	Finish
MGC-SET-5-DOUBLE-12000-FG-CH	champagne anode
MGC-SET-5-DOUBLE-12000-FG-B	black anode



X - system width
H - recess height
W - recess width
DH - door height
DW - door width
GH - glass height

GW - glass width
W=T - running track length
La - horizontal frame profile length
Lb=VH - vertical base profile length
Lc=DH - horizontal frame cover length

